

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|---|------------------|---------|------------------|
| L4 | 10633 | 358/1.15,1.16,1.1.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/28 10:12 |
| L5 | 1900 | 710/52.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/28 10:12 |
| L6 | 6916 | 709/203.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/28 10:13 |
| L7 | 1 | (4 or 5 or 6) and (queue near (designat\$3 or name\$2 or identification or identifier) near4 (match\$5 or compar\$5 or find\$5 or similar or "same")).clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/28 10:14 |
| L8 | 6 | (4 or 5 or 6) and (queue near (designat\$3 or name\$2 or identification or identifier) same (match\$5 or compar\$5 or find\$5 or similar or "same")).clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/28 10:17 |
| L9 | 926 | (charles near3 johnson).in. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/28 10:17 |
| L10 | 1812 | (david near3 johnson).in. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/28 10:17 |
| L11 | 1 | (9 or 10) and (queue near (designat\$3 or name\$2 or identification or identifier) same (match\$5 or compar\$5 or find\$5 or similar or "same")).clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/28 10:17 |
| L12 | 1 | (9 or 10) and (queue near (designat\$3 or name\$2 or identification or identifier) same (match\$5 or compar\$5 or find\$5 or similar or "same")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/28 10:18 |
| S1 | 8 | (printer with (plural\$5 or many or multiple or least or several or one) with (queue adj2 (name or identification or identifier))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/21 10:06 |
| S2 | 42 | (queue with (match\$5 or "same" or identical or equivalent) with (plural\$5 or many or multiple or least or several or one) with (queue adj2 (name or identification or identifier))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/21 10:09 |
| S3 | 1 | (queue with (match\$5) with (plural\$5 or many or multiple or least or several or one) with (queue adj2 (name or identification or identifier))) same (compar\$5 near3 (name or identification or identifier)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/21 10:10 |
| S4 | 40 | (queue with (match\$5)) same (compar\$5 near3 (name or identification or identifier)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/21 10:16 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S5 | 50 | (queue near (name or identification or identifier)) with (match\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/21 10:18 |
| S6 | 54 | (queue near (designat\$3 or name or identification or identifier)) with (match\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/21 10:18 |
| S7 | 61 | (queue near (designat\$3 or name\$2 or identification or identifier)) with (match\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/21 10:24 |
| S8 | 9 | S7 and (print\$5 near2 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/21 10:18 |
| S9 | 10 | (queue near (designat\$3 or name\$2 or identification or identifier) near4 (chang\$5 or modif\$8 or alter\$3 or renam\$3 or reassociat\$5 or redesignat\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/21 10:30 |
| S10 | 3 | (queue near (designat\$3 or name\$2 or identification or identifier) near4 (chang\$5 or modif\$8 or alter\$3 or renam\$3 or reassociat\$5 or redesignat\$5)) same (print\$5 near3 (job or request)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/28 10:13 |
| S11 | 40 | ((designat\$3 or name\$2 or identification or identifier) near4 (chang\$5 or modif\$8 or alter\$3 or renam\$3 or reassociat\$5 or redesignat\$5)) same queue same (print\$5 near3 (job or request)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/21 10:47 |
| S12 | 0 | ((designat\$3 or name\$2 or identification or identifier) near4 (chang\$5 or modif\$8 or alter\$3 or renam\$3 or reassociat\$5 or redesignat\$5)) same ((match\$5 or find\$5 or compar\$5) near3 queue) same (print\$5 near3 (job or request)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/21 10:34 |
| S13 | 0 | (printer adj (designat\$3 or name\$2 or identification or identifier) near4 (chang\$5 or modif\$8 or alter\$3 or renam\$3 or reassociat\$5 or redesignat\$5)) same ((designat\$3 or name\$2 or identification or identifier) near3 (match\$5)) same (print\$5 near3 (job or request)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/21 10:48 |
| S14 | 1 | (printer adj (designat\$3 or name\$2 or identification or identifier) near4 (chang\$5 or modif\$8 or alter\$3 or renam\$3 or reassociat\$5 or redesignat\$5)) same ((designat\$3 or name\$2 or identification or identifier) near3 (match\$5)) and (print\$5 near3 (job or request)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/21 10:49 |
| S15 | 1 | (printer adj (designat\$3 or name\$2 or identification or identifier) near4 (chang\$5 or modif\$8 or alter\$3 or renam\$3 or reassociat\$5 or redesignat\$5)) same ((match\$5)) and (print\$5 near3 (job or request)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/21 10:49 |
| S16 | 19 | (printer adj (designat\$3 or name\$2 or identification or identifier) near4 (chang\$5 or modif\$8 or alter\$3 or renam\$3 or reassociat\$5 or redesignat\$5)) and ((match\$5)) and (print\$5 near3 (job or request)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/21 10:53 |
| S17 | 1 | (printer adj (designat\$3 or name\$2 or identification or identifier) near4 (chang\$5 or modif\$8 or alter\$3 or renam\$3 or reassociat\$5 or redesignat\$5)) and (printer adj (designat\$3 or name\$2 or identification or identifier) near2 match\$5) and (print\$5 near3 (job or request)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/21 10:54 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| S1 | 23 | (queue adj2 nam\$3) and ((print\$5 or cop\$5 or scan\$5) near2 server) and (client same (queue adj2 nam\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/16 14:19 |
| S2 | 28 | (queue adj2 nam\$3) and ((print\$5 or cop\$5 or scan\$5 or imag\$3) near2 server) and (client same (queue adj2 nam\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/16 14:19 |
| S3 | 35 | (queue adj2 nam\$3) and ((print\$5 or cop\$5 or scan\$5 or imag\$3 or internet) near2 server) and (client same (queue adj2 nam\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/16 14:19 |
| S4 | 35 | (queue adj2 nam\$3) and ((print\$5 or cop\$5 or scan\$5 or imag\$3 or internet or www) near2 server) and (client same (queue adj2 nam\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/16 14:19 |
| S5 | 45 | (queue adj2 nam\$3) and ((print\$5 or cop\$5 or scan\$5 or imag\$3 or internet or www or web) near2 server) and (client same (queue adj2 nam\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/16 14:20 |
| S6 | 4 | S5 and ((queue adj2 nam\$3) near3 (check\$5 or verif\$8 or compar\$5 or valid\$5 or invalid\$5 or undefined or unknown or unlist\$5 or exist\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/16 14:21 |
| S7 | 2 | S5 and ((queue adj2 nam\$3) near3 (conver\$4 or chang\$5 or designat\$5 or redesignat\$5 or reassign\$7 or replac\$5 or substitut\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/16 14:23 |
| S8 | 26 | ((queue adj2 nam\$3) near3 (conver\$4 or chang\$5 or designat\$5 or redesignat\$5 or reassign\$7 or replac\$5 or substitut\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/16 14:23 |
| S9 | 26 | ((queue adj2 nam\$3) near3 (renam\$5 or conver\$4 or chang\$5 or designat\$5 or redesignat\$5 or reassign\$7 or replac\$5 or substitut\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/16 14:28 |
| S10 | 0 | ((queue adj2 nam\$3) near3 (compar\$3) with (existing or present\$5 or current\$5 or resident or defined or known or given)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/16 14:29 |
| S11 | 320 | ((queue) near3 (compar\$3) with (existing or present\$5 or current\$5 or resident or defined or known or given)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/16 14:29 |
| S12 | 10 | ((queue) near3 (compar\$3) with (existing or present\$5 or current\$5 or resident or defined or known or given)) and "358".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/16 14:30 |
| S13 | 21 | ((queue) near3 (compar\$3 or search\$5 or find\$5 or match\$5) with (existing or present\$5 or current\$5 or resident or defined or known or given)) and "358".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/16 14:33 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|----|------------------|
| S14 | 24 | ((queue\$7) near3 (compar\$3 or search\$5 or find\$5 or match\$5) with (existing or present\$5 or current\$5 or resident or defined or known or given)) and "358".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/16 14:34 |
| S15 | 16 | ((queue\$7) near3 (name or naming or identifier or identification or number) near5 (compar\$3 or search\$5 or find\$5 or match\$5)) and "358".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/16 14:34 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| S1 | 179 | (printer adj2 name) with (print\$5 near2 (job or request)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 12:06 |
| S2 | 0 | S1 and (compar\$5 with (printer adj2 name)) same ((default adj2 printer) same (unmatch\$5 or undefined or unknown)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 11:49 |
| S3 | 0 | S1 and (compar\$5 with (printer adj2 name)) same (unmatch\$5 or undefined or unknown) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 11:50 |
| S4 | 301 | (printer adj2 name) same (print\$5 near2 (job or request)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 11:49 |
| S5 | 0 | S4 and (compar\$5 with (printer adj2 name)) same (unmatch\$5 or undefined or unknown) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 11:50 |
| S6 | 11 | S4 and (compar\$5 with (printer adj2 name)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 11:50 |
| S7 | 0 | (queue adj2 name) and (print\$5 near2 (job or request)) and (singh).xa. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 12:07 |
| S8 | 0 | (queue adj2 name) and (singh).xa. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 12:06 |
| S9 | 0 | (queue adj2 name) and (print\$5 near2 (job or request)) and (kimberly near2 williams).xa. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 12:07 |
| S10 | 1 | (queue adj2 name) and (print\$5 near2 (job or request)) and (kimberly near2 williams).xp. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 12:07 |
| S11 | 1 | (queue adj2 name) and (print\$5 near2 (job or request)) and (kimberly near2 williams) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 12:42 |
| S12 | 398 | ((assign\$7 or designat\$5 or specified or specify) near3 (queue)) and (print\$5 near2 (job or request)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 17:57 |
| S13 | 6 | ((assign\$7 or designat\$5 or specified or specify) near3 (queue)) and (print\$5 near2 (job or request)) and (compar\$5 with (assign\$7 or designat\$5 or specified or specify) near3 (queue)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 13:00 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S14 | 0 | (spool\$5 with (nam\$3 or assign\$7 or designat\$5 or specified or specify or specifies or plac\$3 or specific) near3 (queue)) same (compar\$5 near3 (queue)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 13:03 |
| S15 | 0 | (spool\$5 same (nam\$3 or assign\$7 or designat\$5 or specified or specify or specifies or plac\$3 or specific) near3 (queue)) same (compar\$5 near3 (queue)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 13:03 |
| S16 | 6 | spool\$5 and ((nam\$3 or assign\$7 or designat\$5 or specified or specify or specifies or plac\$3 or specific) near3 (queue)) same (compar\$5 near3 (queue)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 13:24 |
| S17 | 2 | "5559933".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 17:54 |
| S18 | 2 | "5559933".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 13:23 |
| S19 | 110 | ("5559933").URPN. | USPAT | OR | ON | 2006/09/15 13:24 |
| S20 | 1 | spool\$5 and ((chang\$3 or conver\$5) near2 (nam\$3 or assign\$7 or designat\$5 or specified or specify or specifies or plac\$3 or specific) near3 (queue)) same (compar\$5 near3 (queue)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 13:25 |
| S21 | 1 | spool\$5 and ((chang\$3 or conver\$5) near2 (nam\$3 or assign\$7 or designat\$5 or specified or specify or specifies or plac\$3 or specific) near3 (queue)) and (compar\$5 near3 (queue)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 13:27 |
| S22 | 4 | spool\$5 and ((chang\$3 or conver\$5) near2 (nam\$3 or assign\$7 or designat\$5) near3 (queue)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 13:29 |
| S23 | 2 | spool\$5 and ((chang\$3 or conver\$5) near2 (destination) near3 (queue)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 13:29 |
| S24 | 2 | ((chang\$3 or conver\$5) near2 (destination) near3 (queue)) and (print\$5 near3 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 13:30 |
| S25 | 10 | ((chang\$3 or conver\$5) same(destination) near3 (queue)) and (print\$5 near3 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 13:37 |
| S26 | 10 | ((chang\$3 or conver\$5) same (destination) near3 (queue)) and (print\$5 near3 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 13:37 |
| S27 | 18 | ((chang\$3 or conver\$5 or reassign\$5) same (destination or current or designated or named or name or identified) near3 (queue) with (new or residual or default or different or substitute or unmatched or nonconform\$5 or undefined)) and (print\$5 near3 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 13:42 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S28 | 0 | ((chang\$3 or conver\$5 or reassign\$5 or moving or transfer\$5) same (destination or current or designated or named or name or identified) near3 (queue) with (new or residual or default or different or substitute or unmatched or nonconform\$5 or undefined)) same (queue near3 (busy or occupied or broken or fail\$5 or faulty or full))) and (print\$5 near3 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 13:43 |
| S29 | 11 | ((chang\$3 or conver\$5 or reassign\$5 or moving or transfer\$5) near3 (queue)) same (queue near3 (busy or occupied or broken or fail\$5 or faulty or full))) and (print\$5 near3 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 13:51 |
| S30 | 0 | ((chang\$3 or conver\$5 or reassign\$5) near3 (queue) near2 (name or identi\$8 or designation)) same (queue near3 (busy or occupied or broken or fail\$5 or faulty or full or unable or unavailab\$5))) and (print\$5 near3 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 13:53 |
| S31 | 2 | ((chang\$3 or conver\$5 or reassign\$5) near3 (queue) near2 (name or identi\$8 or designation)) and (queue near3 (busy or occupied or broken or fail\$5 or faulty or full or unable or unavailab\$5))) and (print\$5 near3 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 13:53 |
| S32 | 14 | ((chang\$3 or conver\$5 or reassign\$5) near3 (queue) near2 (name or identi\$8 or designation)) and (queue near3 (busy or occupied or broken or fail\$5 or faulty or full or unable or unavailab\$5))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 13:56 |
| S33 | 21 | ((chang\$3 or conver\$5 or reassign\$5 or alter\$5 or modif\$8) near3 (queue) near2 (name or identi\$8 or designation)) and (queue near3 (busy or occupied or broken or fail\$5 or faulty or full or unable or unavailab\$5))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 13:57 |
| S34 | 1191 | ((chang\$3 or conver\$5 or reassign\$5 or alter\$5 or modif\$8) near3 (queue)) and (queue near3 (busy or occupied or broken or fail\$5 or faulty or full or unable or unavailab\$5))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 13:57 |
| S35 | 222 | ((chang\$3 or conver\$5 or reassign\$5 or alter\$5 or modif\$8) near3 (queue)) same (queue near3 (busy or occupied or broken or fail\$5 or faulty or full or unable or unavailab\$5))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 13:58 |
| S36 | 79 | ((chang\$3 or conver\$5 or reassign\$5 or alter\$5 or modif\$8) near3 (queue)) same (queue near3 (busy or occupied or broken or fail\$5 or faulty or full or unable or unavailab\$5))) and (plural\$5 near3 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 13:58 |
| S37 | 0 | ((chang\$3 or conver\$5 or reassign\$5 or alter\$5 or modif\$8) near3 (queue)) same (queue near3 (busy or occupied or broken or fail\$5 or faulty or full or unable or unavailab\$5))) and (plural\$5 near3 queue) and (print\$5 with queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 13:59 |
| S38 | 79 | ((chang\$3 or conver\$5 or reassign\$5 or alter\$5 or modif\$8) near3 (queue)) same (queue near3 (busy or occupied or broken or fail\$5 or faulty or full or unable or unavailab\$5))) and (plural\$5 near3 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 14:00 |
| S39 | 31 | ((chang\$3 or conver\$5 or reassign\$5 or alter\$5 or modif\$8) near3 (queue)) same (queue near3 (present or exist\$5 or unauthori\$5 or special or default or busy or occupied or broken or fail\$5 or faulty or full or unable or unavailab\$5))) and (plural\$5 near3 queue) and print\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 14:14 |
| S40 | 75 | (print\$5 near3 (mode or type or priority)) with (determin\$5 or judg\$5) with queue | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 14:10 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S41 | 0 | S40 and ((undefined or unknown or nonconform\$5 or illegal or invalid) near3 (print\$5 near3 (mode or type or priority))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 14:11 |
| S42 | 3 | S40 and ((undefined or unknown or nonconform\$5 or illegal or invalid) near3 ((mode or type or priority))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 14:12 |
| S43 | 0 | S40 and (default near2 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 14:13 |
| S44 | 8 | (plurality near2 queue) same (default near2 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 14:13 |
| S45 | 34 | (plurality near2 queue) same ((invalid or error or undefined or unknown or residual or leftover or fail\$5 or default) near2 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 14:16 |
| S46 | 7 | S45 and ((chang\$3 or conver\$5 or reassign\$5 or alter\$5 or modif\$8) near3 (queue)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 14:16 |
| S47 | 338 | (plurality near2 queue) and ((invalid or error or undefined or unknown or residual or leftover or fail\$5 or default) near2 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 14:20 |
| S48 | 145 | S47 and ((chang\$3 or conver\$5 or reassign\$5 or alter\$5 or modif\$8) near3 (queue)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 14:16 |
| S49 | 30 | S47 and ((chang\$3 or conver\$5 or reassign\$5 or alter\$5 or modif\$8) near3 (queue)) same (match\$5 or compar\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 14:17 |
| S50 | 2 | (plurality near2 queue near5 name) and ((invalid or error or undefined or unknown or residual or leftover or fail\$5 or default) near2 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 14:23 |
| S51 | 0 | (plurality near2 queue near5 name) and ((non-support\$5 or unsupport\$5 or support\$5) near2 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 14:24 |
| S52 | 313 | (plurality near2 queue) and ((non-support\$5 or unsupport\$5 or support\$5) near2 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 14:24 |
| S53 | 38 | (plurality near2 queue) same ((non-support\$5 or unsupport\$5 or support\$5) near2 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 14:24 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S54 | 0 | ((non-support\$5 or unsupport\$5) near4 print\$5 near2 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 14:46 |
| S55 | 0 | (queue near3 pointer) and ((invalid or bad or undefined) near3 pointer) and (print\$5 near2 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 14:47 |
| S56 | 54 | (queue near3 pointer) and (print\$5 near2 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 14:48 |
| S57 | 14 | ((queue near3 pointer) with (job or request)) and (print\$5 near2 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 14:55 |
| S58 | 21 | ((queue near3 manag\$5) same (queue near3 (name or identity or identification or designation))) and (print\$5 near2 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 14:57 |
| S59 | 3 | ((queue near3 manag\$5) same (compar\$5 or find\$5 or match\$5 or "same") same (queue near3 (name or identity or identification or designation))) and (print\$5 near2 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 14:59 |
| S60 | 6 | ((queue near3 (Server or manag\$5 or controll\$5)) same (compar\$5 or find\$5 or match\$5 or "same") same (queue near3 (name or identity or identification or designation))) and (print\$5 near2 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 15:00 |
| S61 | 66 | ((queue near3 (Server or manag\$5 or controll\$5)) same (compar\$5 or find\$5 or match\$5 or "same") same (queue near3 (name or identity or identification or designation))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 15:00 |
| S62 | 33 | ((queue near3 (Server or manag\$5 or controll\$5)) same (compar\$5 or find\$5 or match\$5) same (queue near3 (name or identity or identification or designation))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 15:04 |
| S63 | 121 | (queue near3 (Server or manag\$5 or controll\$5)) and ((compar\$5 or find\$5 or match\$5) same (queue near3 (name or identity or identification or designation))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 15:05 |
| S64 | 26 | (queue near3 (Server or manag\$5 or controll\$5)) and ((compar\$5 or find\$5 or match\$5) same (queue near3 (name or identity or identification or designation))) and ((chang\$3 or modif\$8 or alter\$3 or conver\$5) near3 (name or identity or identification or designation)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 15:10 |
| S65 | 293 | ((compar\$5 or find\$5 or match\$5) same (queue near3 (pointer or name or identity or identification or designation))) and ((chang\$3 or modif\$8 or alter\$3 or conver\$5) near3 (pointer or name or identity or identification or designation)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 17:57 |
| S66 | 50 | ((compar\$5 or find\$5 or match\$5) same (queue near3 (pointer or name or identity or identification or designation))) same ((chang\$3 or modif\$8 or alter\$3 or conver\$5) near3 (pointer or name or identity or identification or designation)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 15:15 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S67 | 3 | ((compar\$5 or find\$5 or match\$5) same (queue near3 (pointer or name or identity or identification or designation))) same ((chang\$3 or modif\$8 or alter\$3 or conver\$5) near3 (job)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 15:16 |
| S68 | 13 | ((compar\$5 or find\$5 or match\$5) same (queue near3 (name or identity or identification or designation))) and (list\$3 near3 (valid or exist\$5 or correct or allow\$5) near3 (name or identity or identification or designation)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 15:18 |
| S69 | 7 | ((compar\$5 or find\$5 or match\$5) same (queue near3 (name or identity or identification or designation))) same ((valid or exist\$5 or correct or allow\$5) near3 (name or identity or identification or designation)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 15:20 |
| S70 | 7 | ((default) same (queue near3 (name or identity or identification or designation))) same ((valid or exist\$5 or correct or allow\$5) near3 (name or identity or identification or designation)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 15:54 |
| S71 | 5 | ("5768583").URPN. | USPAT | OR | ON | 2006/09/15 15:23 |
| S72 | 0 | (print\$5 near3 queue) and (color near2 queue) and ((black or monochrom\$5) near2 queue) and ((chang\$5 or conver\$5) near3 (queue)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 15:56 |
| S73 | 39 | (print\$5 near3 queue) and ((color near2 queue) or (priority near2 queue) or ((black or monochrom\$5) near2 queue)) and ((chang\$5 or conver\$5) near3 (queue)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 15:58 |
| S74 | 18 | (print\$5 near3 queue) and ((first adj2 queue) and (second adj2 queue)) and ((chang\$5 or conver\$5) near3 (first or second)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 16:00 |
| S75 | 3 | (print\$5 near3 queue) and ((first adj2 queue) and (second adj2 queue)) and ((chang\$5 or conver\$5) near3 (first or second) near3 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 16:02 |
| S76 | 7 | (print\$5 near3 queue) and ((first adj2 queue) and (second adj2 queue)) and ((chang\$5 or conver\$5 or designat\$5) near3 (first or second) near3 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 16:18 |
| S77 | 1 | "5371888".pn. and (queue near2 name) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 16:18 |
| S78 | 0 | "5371888".pn. and (match\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 16:18 |
| S79 | 2 | "5371888".pn. and (transfer\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 16:20 |
| S80 | 1 | "5371888".pn. and (designat\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 16:21 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S81 | 6 | ("5371888").URPN. | USPAT | OR | ON | 2006/09/15 16:31 |
| S82 | 4 | "4691365".pn. "6661456".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 16:57 |
| S83 | 2 | "5559933".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 17:05 |
| S84 | 1 | "5559933".pn. and (queue adj2 name) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 16:58 |
| S85 | 9 | ("5165014" "5179637" "5220674" "5227643" "5228118" "5287194" "5287434" "5327526" "5345091").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/09/15 16:59 |
| S86 | 1 | "5559933".pn. and (queue near3 logical) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 17:05 |
| S87 | 0 | "5559933".pn. and (queue near3 physicla) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 17:06 |
| S88 | 1 | "5559933".pn. and (queue near3 physical) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 17:06 |
| S89 | 1 | "5559933".pn. and (queue same (logical or physical)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 17:16 |
| S90 | 6 | (plural\$5 near3 (printer adj2 name)) and (receiv\$5 near3 (print\$5 near2 (job or request))) and ((job or request) near4 (printer adj2 name)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 17:17 |
| S91 | 41 | (plural\$5 near3 (printer)) and (receiv\$5 near3 (print\$5 near2 (job or request))) and ((job or request) near4 (printer adj2 name)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 17:17 |
| S92 | 71 | (plural\$5 near3 (printer or printing or (scanner) or copying or scanning or (image adj2 (processing or processor or reproduction)))) and (receiv\$5 near3 ((job or request))) and ((job or request) near4 ((printer or (printer or printing or (scanner) or copying or scanning or scanning or (image adj2 (processing or processor or reproduction))))) adj2 name)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 18:06 |
| S93 | 5 | S92 and ((compar\$5 or match\$5) near4 ((printer or (printer or printing or (scanner) or copying or scanning or scanning or (image adj2 (processing or processor or reproduction))))) adj2 name)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 18:07 |
| S94 | 0 | "6829059".pn. and chang\$3 near3 designat\$54 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 17:31 |

EAST Search History

| | | | | | | |
|----------|-----|---|---|----|----|------------------|
| S95 | 2 | "6829059".pn. and chang\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 17:39 |
| S96 | 1 | "6829059".pn. and (printer near2 name near2 unknown) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 17:40 |
| S97 | 1 | "6829059".pn. and (designat\$5 with unknown) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 17:41 |
| S98 | 1 | "6829059".pn. and (designat\$5 same (default or unknown)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 17:47 |
| S99 | 1 | "6829059".pn. and (name adj2 server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 17:44 |
| S10 0 | 1 | "6829059".pn. and (designat\$5 near3 server near2 name) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 17:47 |
| S10 1 | 110 | ("5559933").URPN. | USPAT | OR | ON | 2006/09/15 17:54 |
| S10 2 | 9 | ("5165014" "5179637" "5220674" "5227643" "5228118" "5287194" "5287434" "5327526" "5345091").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/09/15 17:55 |
| S10 3 | 0 | ("6829059").URPN. | USPAT | OR | ON | 2006/09/15 17:56 |
| S10 4 | 4 | ("5699495" "5802260" "6115132" "6152629").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/09/15 17:56 |
| S10 5 | 2 | ((compar\$5 or find\$5 or match\$5) same (queue near3 (pointer or name or identity or identification or designation))) and ((chang\$3 or modif\$8 or alter\$3 or conver\$5) near3 (pointer or name or identity or identification or designation)) and sub-queue | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 17:57 |
| S10 6 | 1 | ((assign\$7 or designat\$5 or specified or specify) near3 (queue)) and (print\$5 near2 (job or request)) and sub-queue | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 17:58 |
| S10 7 | 0 | (printer adj queue) same sub-queue | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 17:58 |
| S10 8 | 0 | (printer adj queue) same subqueue | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 17:58 |
| S10 9 | 0 | (printer adj2 queue) same sub-queue | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 17:58 |

EAST Search History

| | | | | | | |
|----------|----|--|---|----|----|------------------|
| S11 0 | 4 | (printer near2 queue) same sub-queue | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 17:58 |
| S11 1 | 82 | (plural\$5 near3 (printer or printing or (scanner) or copying or scanning or scanning or (image adj2 (processing or processor or reproduction)))) and ((job or request) near4 ((printer or (printer or printing or (scanner) or copying or scanning or scanning or (image adj2 (processing or processor or reproduction)))) adj2 name)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 18:06 |
| S11 2 | 5 | S111 and ((compar\$5 or match\$5) near4 ((printer or (printer or printing or printing or (scanner) or copying or scanning or scanning or (image adj2 (processing or processor or reproduction)))) adj2 name)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 18:07 |
| S11 3 | 46 | ((compar\$5 or match\$5) near4 ((printer or (printer or printing or (scanner) or copying or scanning or scanning or (image adj2 (processing or processor or reproduction)))) adj2 name)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/15 18:08 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| S1 | 4 | (john near3 varga).in. and ((merg\$5 or combin\$5) same (display\$5) same (graphic or object or item)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 15:47 |
| S2 | 3 | (john near3 varga).in. and ((merg\$5 or combin\$5) same (display\$5) same (compres\$5 or decompres\$5 or encod\$5 or uncompress\$5) same (graphic or object or item)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 15:47 |
| S3 | 4 | (john near3 varga).in. and ((merg\$5 or combin\$5) same (compres\$5 or decompres\$5 or encod\$5 or uncompress\$5) same (graphic or object or item)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 15:55 |
| S4 | 2 | (thomas near3 varga).in. and ((merg\$5 or combin\$5) same (compres\$5 or decompres\$5 or encod\$5 or uncompress\$5) same (graphic or object or item)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 15:56 |
| S5 | 46 | print\$5 and server and queue and "1179" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 15:58 |
| S6 | 12 | print\$5 and server and queue and "1179" and (rfc or (request\$5 near3 comment)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 16:06 |
| S7 | 2 | S6 and ((chang\$3 or modif\$7 or alter\$3 or setting or set or overrid\$5 or overwrit\$5) with queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 16:06 |
| S8 | 0 | "5625757".pn. and ((plural\$5 or mutiple) near3 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 16:04 |
| S9 | 0 | "5625757".pn. and ((plural\$5 or multiple) near3 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 16:05 |
| S10 | 1 | "5625757".pn. and (queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 16:05 |
| S11 | 1 | S6 and ((name or identifier or identification) near2 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 16:06 |
| S12 | 1454 | print\$5 and server and queue and (rfc or (request\$5 near3 comment)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 16:20 |
| S13 | 371 | S12 and ((chang\$3 or modif\$7 or alter\$3 or setting or set or overrid\$5 or overwrit\$5) with queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 16:07 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S14 | 4 | S12 and ((chang\$3 or modif\$7 or alter\$3 or setting or set or overrid\$5 or overwrit\$5) with (name near2 queue)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 16:08 |
| S15 | 3 | S12 and ((error or undefined or unknown or default or wrong or fault\$5) with (name near2 queue)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 16:10 |
| S16 | 3 | S12 and ((error or undefined or unknown or default or wrong or fault\$5 or compar\$3 or match\$5 or unmatched\$5) with (name near2 queue)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 16:13 |
| S17 | 182 | S12 and ((error or undefined or unknown or default or wrong or fault\$5 or compar\$3 or match\$5 or unmatched\$5) with (queue)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 16:13 |
| S18 | 53 | S12 and ((error or undefined or unknown or default or wrong or fault\$5 or compar\$3 or match\$5 or unmatched\$5) near2 (queue)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 16:14 |
| S19 | 220 | (print\$5 with queue) and server and queue and (rfc or (request\$5 near3 comment)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 16:13 |
| S20 | 3 | S19 and ((error or undefined or unknown or default or wrong or fault\$5 or compar\$3 or match\$5 or unmatched\$5) near2 (queue)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 16:24 |
| S21 | 8 | print\$5 and server and queue and (rfc or (request\$5 near3 comment)) and (default near2 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 16:21 |
| S22 | 1 | (print\$5 same server same queue) and (rfc or (request\$5 near3 comment)) and (default near2 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 16:21 |
| S23 | 4 | (print\$5 same queue) and (rfc or (request\$5 near3 comment)) and (default near2 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 16:21 |
| S24 | 53 | (print\$5 near2 (job or request\$5)) same ((error or undefined or unknown or default or wrong or fault\$5 or compar\$3 or match\$5 or unmatched\$5) near2 (queue)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 16:25 |
| S25 | 35 | (print\$5 near2 (job or request\$5)) same ((error or undefined or unknown or default or wrong or fault\$5 or unmatched\$5) near2 (queue)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 16:29 |
| S26 | 38 | (print\$5 near2 (job or request\$5)) same ((error or undefined or unknown or default or wrong or fault\$5 or unmatched\$5) near2 (queue\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 16:56 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|----|------------------|
| S27 | 0 | (print\$5 near2 (job or request\$5)) with ((error or undefined or unknown or default or wrong or fault\$5 or unmatched\$5) near2 (attribute)) and (queue near3 attribute) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 16:57 |
| S28 | 4 | (print\$5 near2 (job or request\$5)) with ((error or undefined or unknown or default or wrong or fault\$5 or unmatched\$5) near2 (attribute)) and (queue same attribute) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 17:00 |
| S29 | 14 | (print\$5 near2 (job or request\$5)) with ((error or undefined or unknown or default or wrong or fault\$5 or unmatched\$5) near2 (address)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 17:03 |
| S30 | 0 | (print\$5 near2 (job or request\$5)) with ((error or undefined or unknown or default or wrong or fault\$5 or unmatched\$5) near2 (address)) and (queue near4 address) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 17:03 |
| S31 | 5 | (print\$5 near2 (job or request\$5)) with ((error or undefined or unknown or default or wrong or fault\$5 or unmatched\$5) near2 (address)) and (address with (stor\$3) with (job or request\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 17:04 |
| S32 | 9 | (print\$5 near2 (job or request\$5)) with ((error or undefined or unknown or default or wrong or fault\$5 or unmatched\$5) near2 (address or location or buffer)) and ((address or location or buffer) with (stor\$3) with (job or request\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 17:05 |
| S33 | 13 | (print\$5 near2 (job or request\$5)) same ((error or undefined or unknown or default or wrong or fault\$5 or unmatched\$5) near2 (address or location or buffer)) and ((address or location or buffer) with (stor\$3) with (job or request\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 17:09 |
| S34 | 2 | (print\$5 near2 (job or request\$5)) same ((error or undefined or unknown or default or wrong or fault\$5 or unmatched\$5) near2 (name)) and (queue near3 name) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 17:11 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| S1 | 7 | ((chang\$3 or modfi\$7 or overrid\$5 or manipul\$5 or alter\$5) near5 (print\$3 adj2 queue adj2 (name or naming or identification or identifier or number))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/13 17:09 |
| S2 | 8 | ((chang\$3 or modfi\$7 or overrid\$5 or manipul\$5 or alter\$5 or replac\$3 or substitut\$5 or overwrit\$5) near5 (print\$3 adj2 queue adj2 (name or naming or identification or identifier or number))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/13 17:10 |
| S3 | 103 | ((chang\$3 or modfi\$7 or overrid\$5 or manipul\$5 or alter\$5 or replac\$3 or substitut\$5 or overwrit\$5) near5 (queue adj2 (name or naming or identification or identifier or number))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/13 17:15 |
| S4 | 28 | S3 and (print\$3 adj2 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/13 17:16 |
| S5 | 108 | ((chang\$3 or modfi\$7 or overrid\$5 or manipul\$5 or alter\$5 or replac\$3 or substitut\$5 or overwrit\$5 or reassign\$5 or transform\$5 or redesignat\$5 or reissu\$5) near5 (queue adj2 (name or naming or identification or identifier or number))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/13 17:16 |
| S6 | 110 | ((chang\$3 or modfi\$7 or overrid\$5 or manipul\$5 or alter\$5 or replac\$3 or substitut\$5 or overwrit\$5 or reassign\$5 or transform\$5 or redesignat\$5 or reissu\$5 or renam\$3) near5 (queue adj2 (name or naming or identification or identifier or number))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/13 17:23 |
| S7 | 1 | S6 and (print\$3 adj2 queue) and ((queue adj2 (name or naming or identification or identifier or number)) near3 (compar\$3 or match\$5 or find\$3 or search\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/13 17:18 |
| S8 | 6 | S6 and (print\$3 adj2 queue) and ((queue adj2 (name or naming or identification or identifier or number)) same (compar\$3 or match\$5 or find\$3 or search\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 09:54 |
| S9 | 2 | S6 and (print\$3 adj2 queue) and ((queue adj2 (name or naming or identification or identifier or number)) with field) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/13 17:21 |
| S10 | 393 | S6 ((queue adj2 (name or naming or identification or identifier or number)) with field) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/13 17:21 |
| S11 | 11 | S6 and ((queue adj2 (name or naming or identification or identifier or number)) with field) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/13 17:21 |
| S12 | 532 | ((chang\$3 or modfi\$7 or overrid\$5 or manipul\$5 or alter\$5 or replac\$3 or substitut\$5 or overwrit\$5 or reassign\$5 or transform\$5 or redesignat\$5 or reissu\$5 or renam\$3) near5 ((folder or queue or buffer) adj2 (name or naming or identification or identifier or number))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/13 17:24 |
| S13 | 550 | ((chang\$3 or modfi\$7 or overrid\$5 or manipul\$5 or alter\$5 or replac\$3 or substitut\$5 or overwrit\$5 or reassign\$5 or transform\$5 or redesignat\$5 or reissu\$5 or renam\$3) near5 ((folder or queue or buffer or spool\$5) adj2 (name or naming or identification or identifier or number))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/13 17:24 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S14 | 62 | S13 and (print\$5 near2 (folder or queue or buffer or spool\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/13 17:24 |
| S15 | 35 | S14 and (((name or naming or identification or identifier or number)) same (compar\$3 or match\$5 or find\$3 or search\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/13 17:43 |
| S16 | 274 | (((name or naming or identification or identifier or number)) same print\$5 same queue same (compar\$3 or match\$5 or find\$3 or search\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 09:50 |
| S17 | 87 | S16 and "358".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/13 17:44 |
| S18 | 406 | (name or naming or identification or identifier) with print\$5 with queue | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 09:53 |
| S19 | 187 | (name or naming or identification or identifier) near3 print\$5 near3 queue | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 09:54 |
| S20 | 45 | S19 and ((name or naming or identification or identifier) with (compar\$3 or match\$5 or find\$3 or search\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 10:01 |
| S21 | 19 | S20 and ((name or naming or identification or identifier) with (chang\$5 or conver\$5 or modif\$8 or altering or altered)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 10:01 |
| S22 | 16 | (queue near4 (name or naming or identification or identifier) with (compar\$3 or match\$5 or find\$3 or search\$5)) same ((name or naming or identification or identifier) with (chang\$5 or conver\$5 or modif\$8 or altering or altered)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 10:08 |
| S23 | 25 | (queue near4 (name or naming or identification or identifier) with (exist\$5 or unmatched\$5 or undefined or unknown or non-exist\$5 or default or compar\$3 or match\$5 or find\$3 or search\$5)) same ((name or naming or identification or identifier) with (chang\$5 or conver\$5 or modif\$8 or altering or altered)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 10:21 |
| S24 | 11 | S23 and print\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 10:17 |
| S25 | 155 | (queue near4 (name or naming or identification or identifier)) same (print\$5 near3 (request\$5 or job)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 10:30 |
| S26 | 17 | S25 and (queue near4 (name or naming or identification or identifier) with (exist\$5 or unmatched\$5 or undefined or unknown or non-exist\$5 or default or compar\$3 or match\$5 or find\$3 or search\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 11:07 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S27 | 239 | (queue near4 (name or naming or identification or identifier)) same ((scan\$5 or read\$5 or cop\$4 or print\$5) near3 (request\$5 or job)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 10:35 |
| S28 | 20 | S27 and (queue near4 (name or naming or identification or identifier) with (exist\$5 or unmatched\$5 or undefined or unknown or non-exist\$5 or default or compar\$3 or match\$5 or find\$3 or search\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 10:36 |
| S29 | 10 | S28 and ((plural\$5 or multiple or many) near3 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 10:39 |
| S30 | 241 | (queue near4 (name or naming or identification or identifier)) same ((fax or facsimile or scan\$5 or read\$5 or cop\$4 or print\$5) near3 (request\$5 or job)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 10:45 |
| S31 | 50 | S30 and (queue near4 (name or naming or identification or identifier) with (exist\$5 or unmatched\$5 or undefined or unknown or non-exist\$5 or similar or "same" or equal or equivalent or different or default or compar\$3 or match\$5 or find\$3 or search\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 10:38 |
| S32 | 24 | S31 and ((plural\$5 or multiple or many) near3 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 10:39 |
| S33 | 158 | (queue near4 (name or naming or identification or identifier)) with ((fax or facsimile or scan\$5 or read\$5 or cop\$4 or print\$5) near3 (request\$5 or job)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 10:46 |
| S34 | 63 | S33 and "358".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 10:46 |
| S35 | 67 | (queue near (name or naming or identification or identifier)) with ((fax or facsimile or scan\$5 or read\$5 or cop\$4 or print\$5) near3 (request\$5 or job)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 10:56 |
| S36 | 30 | S35 and "358".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 10:48 |
| S37 | 93 | (queue near (name or naming or identification or identifier or id or "i. d.") with ((fax or facsimile or scan\$5 or read\$5 or cop\$4 or print\$5) near3 (request\$5 or job)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 10:47 |
| S38 | 35 | S37 and "358".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 11:04 |
| S39 | 3 | (queue near (name or naming or identification or identifier)) with ((fax or facsimile or scan\$5 or read\$5 or cop\$4 or print\$5) near3 (request\$5 or job)) same ((reassign\$8 or chang\$3 or alter\$3 or modif\$7 or overrid\$5) near3 (name or naming or identification or identifier)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 11:03 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|-------------------|
| S40 | 3 | ((queue near (name or naming or identification or identifier)) with ((fax or facsimile or scan\$5 or read\$5 or cop\$4 or print\$5) near3 (request\$5 or job)) same ((convert\$5 or reassign\$8 or chang\$3 or alter\$3 or modif\$7 or overrid\$5) near3 (name or naming or identification or identifier))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 11:03 |
| S41 | 195 | (queue) with ((fax or facsimile or scan\$5 or read\$5 or cop\$4 or print\$5) near3 (request\$5 or job)) same ((convert\$5 or reassign\$8 or chang\$3 or alter\$3 or modif\$7 or overrid\$5) near3 (queue)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 11:10 |
| S42 | 76 | S41 and "358".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 11:04 |
| S43 | 29 | S42 and (queue near4 (exist\$5 or unmatched\$5 or undefined or unknown or non-exist\$5 or default or compar\$3 or match\$5 or find\$3 or search\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 11:11 |
| S44 | 469 | (queue) with ((fax or facsimile or scan\$5 or read\$5 or cop\$4 or print\$5) near3 (request\$5 or job)) same ((convert\$5 or reassign\$8 or chang\$3 or alter\$3 or modif\$7 or overrid\$5 or setting or set) near3 (queue)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 11:17. |
| S45 | 49 | S44 and (queue near4 (compar\$3 or match\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 11:15 |
| S46 | 0 | "5287434".pn. and (restore adj2 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 11:15 |
| S47 | 1 | "5287434".pn. and (restore near2 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 11:16 |
| S48 | 1 | "5287434".pn. and (designat\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 11:17 |
| S49 | 4 | (queue) with ((fax or facsimile or scan\$5 or read\$5 or cop\$4 or print\$5) near3 (request\$5 or job)) same ((convert\$5 or reassign\$8 or chang\$3 or alter\$3 or modif\$7 or overrid\$5 or setting or set) near3 (queue) near3 designat\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 11:19 |
| S50 | 64 | ((convert\$5 or reassign\$8 or chang\$3 or alter\$3 or modif\$7 or overrid\$5 or setting or set) near3 (queue) near3 designat\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 11:19 |
| S51 | 23 | ((convert\$5 or reassign\$8 or chang\$3 or alter\$3 or modif\$7 or overrid\$5) near3 (queue) near3 designat\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 11:22 |
| S52 | 1 | "6213652".pn. and (queue near2 designat\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/14 11:23 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| S1 | 2 | "5880447".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 12:58 |
| S2 | 4 | ("5880447").URPN. | USPAT | OR | ON | 2006/09/08 12:53 |
| S3 | 5 | ("4916441" "5490217" "5579087" "5642515" "5684956").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/09/08 15:41 |
| S4 | 1 | "5880447".pn. and ((file adj2 server) with print\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 13:08 |
| S5 | 1 | "5559933".pn. and (print\$5 same queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 14:28 |
| S6 | 0 | "5559933".pn. and (default adj2 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 13:11 |
| S7 | 1 | "5559933".pn. and (default near2 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 13:12 |
| S8 | 1 | "5559933".pn. and (default near2 queue) and (mask same (queue adj2 name)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 15:20 |
| S9 | 1 | "5559933".pn. and (default near2 print\$5) and (mask same (queue adj2 name)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 13:36 |
| S10 | 1 | "5559933".pn. and (default near2 print\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 13:48 |
| S11 | 1 | "5559933".pn. and (queue with "286") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 13:41 |
| S12 | 1 | "5559933".pn. and (queue same "286") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 13:45 |
| S13 | 1 | "5559933".pn. and ("286") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 13:46 |
| S14 | 2 | "5559933".pn. and (match same printer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 14:44 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S15 | 1 | "5559933".pn. and (queue same printer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 13:50 |
| S16 | 1 | "5559933".pn. and (print\$5 near3 queue) same name | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 14:40 |
| S17 | 1 | "727071".ap. and (queue near5 print\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 14:41 |
| S18 | 1 | "727071".ap. and (queue near5 print\$5 near3 device) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 14:41 |
| S19 | 2 | "5559933".pn. and (match\$5 same printer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 14:45 |
| S20 | 1 | "5559933".pn. and (match\$5 same printer) same queue | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 16:24 |
| S21 | 12 | ((printer or printing) with (multiple or plural\$5) near3 queue) same (queue near3 (name or named or naming or identif\$8)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 14:53 |
| S22 | 13 | ((printer or printing or copier or copying) with (multiple or plural\$5) near3 queue) same (queue near3 (name or named or naming or identif\$8)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 16:40 |
| S23 | 13 | ((printer or printing or copier or copying) with (multiple or plural\$5 or many) near3 queue) same (queue near3 (name or named or naming or identif\$8)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 14:54 |
| S24 | 1 | "5559933".pn. and (default same printed) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 15:20 |
| S25 | 1 | "5559933".pn. and (default and printed) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 15:21 |
| S26 | 1 | "5559933".pn. and (default and print) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 15:22 |
| S27 | 1 | "5559933".pn. and (default same printer same print) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 15:23 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|----|------------------|
| S28 | 1 | "5559933".pn. and ("276" with printer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 15:23 |
| S29 | 2 | "5287434".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 15:41 |
| S30 | 1 | "5559933".pn. and (network same client) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 16:24 |
| S31 | 1 | "5559933".pn. and (network same client same printer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 16:25 |
| S32 | 1 | "5559933".pn. and (network same client same print\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 16:25 |
| S33 | 1 | "5559933".pn. and (network same client) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 16:25 |
| S34 | 1 | "5559933".pn. and (network and client) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 16:26 |
| S35 | 48 | ((printer or printing or copier or copying) with (multiple or plural\$5) near3 queue) and ((chang\$5 or conver\$5 or modif\$8 or alter\$8) near5 queue near3 (name or named or naming or identif\$8)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 16:53 |
| S36 | 4 | ((printer or printing or copier or copying) with (multiple or plural\$5) near3 queue) and ((chang\$5 or conver\$5 or modif\$8 or alter\$8) near5 queue near3 (name or named or naming or identif\$8)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 16:55 |
| S37 | 4 | ((printer or printing or copier or copying or mfp or multifunction\$5 or multi-function\$5) with (multiple or plural\$5) near3 queue) and ((chang\$5 or conver\$5 or modif\$8 or alter\$8) near5 queue near3 (name or named or naming or identif\$8)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 17:02 |
| S38 | 4 | ((printer or printing or copier or copying or mfp or multifunction\$5 or multi-function\$5 or reproduction) with (multiple or plural\$5) near3 queue) and ((chang\$5 or conver\$5 or modif\$8 or alter\$8) near5 queue near3 (name or named or naming or identif\$8)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 17:04 |
| S39 | 4 | ((printer or printing or copier or copying or mfp or multifunction\$5 or multi-function\$5 or reproduction) with (multiple or plural\$5) near3 queue) and ((compar\$5 or match\$5) near5 queue near3 (name or named or naming or identif\$8)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 17:06 |
| S40 | 4 | ((printer or printing or copier or copying or mfp or multifunction\$5 or multi-function\$5 or reproduction) with (two or three or four or multiple or plural\$5) near3 queue) and ((compar\$5 or match\$5) near5 queue near3 (name or named or naming or identif\$8)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 17:06 |

EAST Search History

| | | | | | | |
|-----|---|--|---|----|----|------------------|
| S41 | 6 | ((printer or printing or copier or copying or mfp or multifunction\$5 or multi-function\$5 or reproduction) with (two or three or four or multiple or plural\$5) near3 queue) and ((compar\$5 or match\$5) same queue near3 (name or named or naming or identif\$8)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 17:08 |
| S42 | 2 | ((printer or printing or copier or copying or mfp or multifunction\$5 or multi-function\$5 or reproduction) with (two or three or four or multiple or plural\$5) near3 queue) and ((list or listing) near3 queue near3 (name or named or naming or identif\$8)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 17:08 |

EAST Search History

| Ref # | Hits | Search Query | Dbs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|---|------------------|---------|------------------|
| S1 | 90 | (printer or printing) near4 ((plural\$5 or multiple) near3 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 11:25 |
| S2 | 3 | S1 and (lpd or (line adj2 printer adj2 daemon)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 11:25 |
| S3 | 266 | (printer or printing or reproduction or copier or copying) same ((plural\$5 or multiple) near3 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 11:33 |
| S4 | 9 | S3 and (lpd or (line adj2 printer adj2 daemon)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 11:30 |
| S5 | 1 | S3 and ((incorrect or wrong or invalid or undefined or unkown) near3 queue near3 (name or "i.d." or id or identification)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 11:33 |
| S6 | 9236 | ((plural\$5 or multiple) near3 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 11:52 |
| S7 | 6 | S6 and ((incorrect or wrong or invalid or undefined or unkown) near3 queue near3 (name or "i.d." or id or identification)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 11:37 |
| S8 | 39 | S6 and ((incorrect or wrong or invalid or undefined or unkown or unmatch\$5 or new or nonexistent\$5 or non-exist\$5) near3 queue near3 (name or "i.d." or id or identification)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 11:46 |
| S9 | 39 | S6 and ((incorrect or wrong or invalid or undefined or unkown or unmatch\$5 or new or nonexistent\$5 or non-exist\$5 or bad or error\$6) near3 queue near3 (name or "i.d." or id or identification)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 11:47 |
| S10 | 42 | S6 and ((incorrect or wrong or invalid or undefined or unkown or unmatch\$5 or new or nonexistent\$5 or non-exist\$5 or bad or error or unsupport\$5) near3 queue near3 (name or "i.d." or id or identification)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 11:48 |
| S11 | 42 | S6 and ((incorrect or wrong or invalid or undefined or unkown or unmatch\$5 or new or nonexistent\$5 or non-exist\$5 or bad or error or unsupport\$5 or nonsupport\$5 or non-support\$5) near3 queue near3 (name or "i.d." or id or identification)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 11:47 |
| S12 | 3 | S6 and ((error or unsupport\$5 or nonsupport\$5 or non-support\$5) near3 queue near3 (name or "i.d." or id or identification)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 11:47 |
| S13 | 14857 | ((plural\$5 or multiple) near3 (spool\$5 or queue)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 11:49 |

EAST Search History

| | | | | | | |
|-----|-------|--|---|----|----|------------------|
| S14 | 0 | S6 and ((incorrect or wrong or invalid or undefined or unkown or unmatched\$5 or new or nonexistent\$5 or non-exist\$5 or bad or error or unsupported\$5) near3 spool\$5 near3 (name or "i.d." or id or identification)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 11:49 |
| S15 | 16 | S6 and ((incorrect or wrong or invalid or undefined or unkown or unmatched\$5 or new or nonexistent\$5 or non-exist\$5 or bad or error or unsupported\$5) near3 buffer\$5 near3 (name or "i.d." or id or identification)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 11:49 |
| S16 | 31876 | ((plural\$5 or multiple) near3 (buffer\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 11:50 |
| S17 | 54 | S16 and ((incorrect or wrong or invalid or undefined or unkown or unmatched\$5 or new or nonexistent\$5 or non-exist\$5 or bad or error or unsupported\$5) near3 buffer\$5 near3 (name or "i.d." or id or identification)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 11:50 |
| S18 | 585 | ((plural\$5 or multiple) near3 print\$5 near5 (buffer\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 11:50 |
| S19 | 0 | S18 and ((incorrect or wrong or invalid or undefined or unkown or unmatched\$5 or new or nonexistent\$5 or non-exist\$5 or bad or error or unsupported\$5) near3 buffer\$5 near3 (name or "i.d." or id or identification)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 11:51 |
| S20 | 0 | S17 and (print\$5 near3 buffer\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 11:51 |
| S21 | 187 | ((plural\$5 or multiple) near3 queue) near3 print\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 11:52 |
| S22 | 2 | S21 and ((match\$5 or compar\$5 or judg\$5) near3 queue near3 (name or id or identification or designat\$5 or "i.d.")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 12:09 |
| S23 | 1 | "5559933".pn. and (queue with print\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 12:03 |
| S24 | 0 | "5559933".pn. and (queue with print\$5) same unmatched\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 12:03 |
| S25 | 0 | "5559933".pn. and unmatched\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 12:03 |
| S26 | 1 | "5559933".pn. and (queue with print\$5) same match\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 12:03 |

EAST Search History

| | | | | | | |
|-----|--------|--|---|----|----|------------------|
| S27 | 3 | ((match\$5 or compar\$5 or judg\$5) near3 queue near3 (name or id or identification or designat\$5 or "i.d.")) with (existing or known or predetermined or preexist\$5 or pre-exist\$5 or resident) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 12:51 |
| S28 | 6 | ((determin\$5) near3 queue near3 (name or id or identification or designat\$5 or "i.d.")) with (existing or known or predetermined or preexist\$5 or pre-exist\$5 or resident) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 12:12 |
| S29 | 220631 | ((name or id or identification or designat\$5 or "i.d.")) with (default or existing or known or predetermined or preexist\$5 or pre-exist\$5 or resident) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 12:13 |
| S30 | 264 | (queue near4 (name or id or identification or designat\$5 or "i.d.")) with (default or existing or known or predetermined or preexist\$5 or pre-exist\$5 or resident) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 12:13 |
| S31 | 24 | S30 and (print\$5 near3 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 12:13 |
| S32 | 84 | ((specifying or specifies or designat\$5 or enter\$5 or input\$5 or select\$5 or choos\$5) near3 print\$5 near3 queue near3 (name or id or identification or designat\$5 or "i.d.")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 12:59 |
| S33 | 24 | (user or operator or client) with ((specifying or specifies or designat\$5 or enter\$5 or input\$5 or select\$5 or choos\$5) near3 print\$5 near3 queue near3 (name or id or identification or designat\$5 or "i.d.")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 13:13 |
| S34 | 24 | (user or operator or client) with ((specifying or specifies or designat\$5 or enter\$5 or input\$5 or select\$5 or choos\$5) near3 print\$5 near3 queue near3 (name or id or identification or identifier or designat\$5 or "i.d.")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 13:15 |
| S35 | 25 | (user or operator or client) with ((specifying or specifies or designat\$5 or enter\$5 or input\$5 or select\$5 or choos\$5 or setting or set) near3 print\$5 near3 queue near3 (name or id or identification or identifier or designat\$5 or "i.d.")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 13:17 |
| S36 | 2 | (user or operator or client) with ((setting or set) near3 print\$5 near3 queue near3 (name or id or identification or identifier or designat\$5 or "i.d.")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 13:17 |
| S37 | 9 | (user or operator or client) with ((setting or set) near3 queue near3 (name or id or identification or identifier or designat\$5 or "i.d.")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 13:17 |
| S38 | 145 | (user or operator or client) with ((specifying or specifies or designat\$5 or enter\$5 or input\$5 or select\$5 or choos\$5 or setting or set) near3 queue near3 (name or id or identification or identifier or designat\$5 or "i.d.")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 13:18 |
| S39 | 2070 | (user or operator or client) with ((specifying or specifies or designat\$5 or enter\$5 or input\$5 or select\$5 or choos\$5 or setting or set) near3 queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 13:18 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S40 | 330 | (user or operator or client) with ((specifying or specifies or designat\$5 or enter\$5 or input\$5 or select\$5 or choos\$5 or setting or set) near3 queue) same (print\$5 or scan\$5 or copying or copier or copy) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/05 13:18 |
|-----|-----|--|---|----|----|------------------|

EAST Search History

| Ref # | Hits | Search Query | Dbs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|---|------------------|---------|------------------|
| S1 | 6 | (plural\$5 near3 (print\$5 near3 queue near3 (name or identification or id or "i.d."))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 14:58 |
| S2 | 8 | (plural\$5 near3 (print\$5 near3 (buffer\$5 or queue or spool\$5) near3 (name or identification or id or "i.d."))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 14:31 |
| S3 | 6 | (compar\$5 near3 (print\$5 near3 (buffer\$5 or queue or spool\$5) near3 (name or identification or id or "i.d."))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 14:48 |
| S4 | 13 | ((list or array) near3 (print\$5 near3 (buffer\$5 or queue or spool\$5) near3 (name or identification or id or "i.d."))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 14:36 |
| S5 | 10 | ((default or residual or error or unmatched\$5 or non-exist\$5 or temporary or undesignat\$5 or not-found or fault\$5) near3 (print\$5 near3 (buffer\$5 or queue or spool\$5) near3 (name or identification or id or "i.d."))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 14:41 |
| S6 | 52 | ((default or residual or error or unmatched\$5 or non-exist\$5 or temporary or undesignat\$5 or not-found or fault\$5) near3 ((queue) near3 (name or identification or id or "i.d."))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 15:01 |
| S7 | 14 | S6 and (print\$5 same queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 14:42 |
| S8 | 108 | ((assign\$8 or designat\$5 or naming or input\$5 or enter\$5) near3 ((queue) near3 (name or identification or id or "i.d."))) and print\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 15:00 |
| S9 | 3 | S8 and (compar\$5 near3 ((buffer\$5 or queue or spool\$5) near3 (name or identification or id or "i.d."))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 14:53 |
| S10 | 5 | S8 and (match\$5 near3 ((buffer\$5 or queue or spool\$5) near3 (name or identification or id or "i.d."))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 14:56 |
| S11 | 0 | (request adj2 for adj2 comments) same "1179" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 14:57 |
| S12 | 0 | (request adj2 for adj2 comments) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 14:57 |
| S13 | 25189 | rfc "1179" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 14:57 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S14 | 14 | rfc adj2 "1179" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 14:57 |
| S15 | 1 | S14 and ((print\$5 near3 queue near3 (name or identification or id or "i.d."))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 14:58 |
| S16 | 1 | S14 and ((queue near3 (name or identification or id or "i.d."))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 14:58 |
| S17 | 1 | S14 and ((queue near3 (naming or identification or id or "i.d."))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 14:59 |
| S18 | 1 | S14 and ((queue same (naming or identification or id or "i.d."))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 14:59 |
| S19 | 1 | S14 and ((queue same (name or identification or id or "i.d."))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 14:59 |
| S20 | 12 | S14 and (((name or identification or id or "i.d."))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 14:59 |
| S21 | 4 | S14 and ((queue and (name or identification or id or "i.d."))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 14:59 |
| S22 | 35 | ((client or user or operator or customer) near4 (specif\$8 or assign\$8 or designat\$5 or naming or input\$5 or enter\$5) near3 ((queue) near3 (name or identification or id or "i.d."))) and print\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 15:02 |
| S23 | 4 | S22 and ((default or residual or error or unmatched\$5 or non-exist\$5 or temporary or undesignat\$5 or not-found or fault\$5 or unknown or unidentified\$8) near3 ((queue) near3 (name or identification or id or "i.d."))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 15:02 |
| S24 | 57 | ((client or user or operator or customer) near4 (specif\$8 or assign\$8 or designat\$5 or naming or input\$5 or enter\$5) near3 ((queue) near3 (name or identification or id or "i.d."))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 15:05 |
| S25 | 5 | S24 and ((default or residual or error or unmatched\$5 or non-exist\$5 or temporary or undesignat\$5 or not-found or fault\$5 or unknown or unidentified\$8) near3 ((queue) near3 (name or identification or id or "i.d."))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 15:03 |
| S26 | 6 | S24 and ((default or residual or error or unmatched\$5 or non-exist\$5 or temporary or undesignat\$5 or not-found or fault\$5 or unknown or unidentified\$8) near3 ((queue) near3 (name or identification or id or "i.d."))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 15:04 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|----|------------------|
| S27 | 11 | S24 and ((default or residual or error or unmatched\$5 or non-exist\$5 or temporary or undesignat\$5 or not-found or fault\$5 or unknown or unidentified\$8) near3 ((queue))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 15:06 |
| S28 | 84 | ((client or user or operator or customer or server or application) near4 (specif\$8 or assign\$8 or designat\$5 or naming or input\$5 or enter\$5) near3 ((queue) near3 (name or identification or id or "i.d. "))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 15:05 |
| S29 | 14 | S28 and ((default or residual or error or unmatched\$5 or non-exist\$5 or temporary or undesignat\$5 or not-found or fault\$5 or unknown or unidentified\$8) near3 ((queue))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 15:09 |
| S30 | 1 | "5559933".pn. and (match\$5 same queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 15:21 |
| S31 | 1 | "5559933".pn. and (print\$5 adj2 queue adj2 name) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 15:21 |
| S32 | 1 | "5559933".pn. and (queue adj2 name) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 15:22 |
| S33 | 1 | "5559933".pn. and (queue adj2 name) and (match\$5 with queue with name) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 15:22 |
| S34 | 0 | "5559933".pn. and (queue adj2 name) and (match\$5 with queue with name) and (default with queue with name) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 15:37 |
| S35 | 1 | "5559933".pn. and (queue adj2 name) and (match\$5 with queue with name) and (default with queue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 15:23 |
| S36 | 0 | "5559933".pn. and (default with queue with name) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 15:37 |
| S37 | 1 | "5559933".pn. and (default same queue same name) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 15:37 |